

Table 11. AMI Report Card Summary: Group B-Delayed Feedback

Table with 40 columns (Quality Indicators 1-40) and rows for individual hospitals, teaching hospitals, community hospitals, and small hospitals. Includes sub-headers for Reperfusion Therapy, Lipid Testing, and Medication Utilization.

Report card based on 1999-2001 data
Hospitals: Categories as per JPPC peer groups. Multi-site corporations reported at the corporate level.

Study Sample: The number of charts reviewed as part of the chart abstraction process.

Qualified: The number of charts in the study sample that met the ESC/ACC and EFFECT AMI inclusion criteria.

Reperfusion Therapy: Refers only to patients with ST-segment Elevation MI (STEMI).

- Reperfusion Method: **Patient may receive both Thrombolytics and PCI. PCI: Percutaneous Coronary Intervention also known as angioplasty/PTCA

- Thrombolytics in <= 30 minutes/Thrombolytics Door-to-Needle Time: Refers only to patients who received Thrombolytics in <= 4 hours of arrival.

Medication Utilization: Individual hospital values suppressed where the number of ideal patients was less than 10 in a given hospital. ASA: Aspirin, ACEI: Angiotensin-Converting Enzyme Inhibitor

www.ccor.ca/effect.asp

